

# PRAGMATIC AWS IOT SCOPE OF WORK

---

# Table of Contents

[Internet-of-Things Introduction](#)

[About Internet of Things?](#)

[AWS IOT Architecture](#)

[AWS IOT Hardware Device Intel® Edison and Grove IoT Starter Kit Powered by AWS](#)

[Parts List:](#)

[Project Scope of Work](#)

[Intel® device With AWS IoT Architecture](#)

[Intel® Edison for Arduino](#)

[Sensors](#)

[Grove - Temperature & Humidity Sensor \(High-Accuracy & Mini\)](#)

[Grove - Moisture Sensor](#)

[Grove - Light Sensor](#)

[Grove - UV Sensor](#)

[Grove - PIR Motion Sensor](#)

[AWS Device Shadow](#)

[Device Shadows Data Flow](#)

[AWS IoT Device Gateway](#)

[Amazon DynamoDB](#)

[Documentation Requirements](#)

[Reference Material](#)

[AWS Device Shadow Tutorial](#)

[IoT news and features](#)

[Application Scope?](#)

# Internet-of-Things Introduction




Internet of Things (IoT) has become biggest disruptive technology in world, Through this technology world reaches for greater connectivity in WAN. Nowadays every company working on AWS IoT technology. IoT services providing quick answering in one media to another media.

Internet of Things and its services are becoming part of our everyday life, ways of working, and business. This is the Information and Communications Technology.

## About Internet of Things?

AWS IoT can connect billions of devices and send trillions of messages, and can process and route those messages to AWS endpoints and to other devices in a reliable and secure manner. With AWS IoT, your applications can communicate with all your devices, all the time. AWS IoT makes it super easy to use AWS services such as DynamoDB, RDS, Lambda, Kinesis, S3, and Machine Learning, to build IoT applications that gather, process, analyze and act on data generated by connected devices completely in the cloud.

# AWS IOT Architecture



## AWS IOT Hardware Device Intel® Edison and Grove IoT Starter Kit Powered by AWS

The bundle includes the Grove IoT Environmental Kit\* from Seeed Studios, a rapid-prototyping kit for designing indoor applications based on the Intel® Edison development board, and Amazon Web Services\* (AWS), a suite of services that enables secure, bidirectional communications between the device and the cloud. AWS IoT\* is a platform that allows devices — cars, turbines, sensor grids, light bulbs and more -- to connect to AWS services so companies can store, process, analyze, and act on the volumes of data generated by connected devices on a global scale. With a base shield that can connect up to 11 different sensors and actuators and access to AWS, you can easily create a new Internet of Things (IoT) device to explore and interact with your indoor environment. AWS services extends the functionality of the Grove Indoor Environmental Kit\* for Intel Edison, adding the ability to transform, augment, or route messages to the AWS cloud with secure authentication from X.509 certificates installed on your device. You can also control how your IoT clients such as micro controllers, sensors, actuators, mobile devices, or applications connect to the AWS cloud with built-in services and SDKs to fine-tune communication, rules, and roles


## Parts List:

Board/Part	Qty	Documentation
<a href="#">Intel® Edison for Arduino</a>	1	<a href="#">Read Here</a>
<a href="#">Base Shield</a>	1	<a href="#">Read Here</a>
<a href="#">Grove - Temperature&amp;Humidity Sensor (High-Accuracy &amp; Mini)</a>	1	<a href="#">Read Here</a>
<a href="#">Grove - Moisture Sensor</a>	1	<a href="#">Read Here</a>
<a href="#">Grove - Light Sensor</a>	1	<a href="#">Read Here</a>
<a href="#">Grove - UV Sensor</a>	1	<a href="#">Read Here</a>
<a href="#">Grove - PIR Motion Sensor</a>	1	<a href="#">Read Here</a>
<a href="#">Grove - Encoder</a>	1	<a href="#">Read Here</a>
<a href="#">Grove - Button</a>	1	<a href="#">Read Here</a>
<a href="#">Grove - LCD RGB Backlight</a>	1	<a href="#">Read Here</a>
<a href="#">Grove - Relay</a>	1	<a href="#">Read Here</a>
<a href="#">Grove - Servo</a>	1	<a href="#">Read Here</a>
<a href="#">Grove - Buzzer</a>	1	<a href="#">Read Here</a>
USB Cable; 480mm-Black	1	
USB Wall Power Supply	1	

## Project Scope of Work

We expect that the team works on getting all 5 sensors listed below connect using the AWS IoT Architecture shown above. Once the device is connected to AWS we should be able to capture the data inside Dynamodb. The complete project should be able to use the Device Gateway, Device Shadow with TLS authentication and MQTT protocol.. The sensors to be used are defined below

# Intel® device With AWS IoT Architecture




# Intel® Edison for Arduino



## FEATURES


- Uses a 22nm Intel® SoC that includes a dual core, dual threaded Intel® Atom™ CPU at 500MHz and a 32-bit Intel® Quark™ microcontroller at 100 MHz. It supports 40 GPIOs and includes 1GB LPDDR3, 4 GB EMMC, and dual-band WiFi and BTLE on a module slightly larger than a postage stamp.
- The Intel Edison module will initially support development with Arduino\* and C/C++, followed by Node.JS, Python, RTOS, and Visual Programming support in the near future.
- It includes a device-to-device and device-to-cloud connectivity framework to enable cross-device communication and a cloud-based, multi-tenant, time-series analytics service.
- Has an SD card connector, micro USB or standard sized USB host Type-A connector(via mechanical switch), Micro USB device, 6 analog inputs, and 20 digital input/output pins, 1x UART, 1x I2C, and 1x ICSP 6-pin header (SPI) Power jack with 7V-15V DC input.

## Sensors




### Grove - Temperature & Humidity Sensor (High-Accuracy & Mini)

This is a multifunctional sensor that gives you temperature and relative humidity information at the same time. It utilizes a TH02 sensor that can meet measurement needs of general purposes. It provides reliable readings when environment humidity condition in between 0-80% RH, and temperature condition in between 0-70°C, covering needs in most home and daily applications that don't contain extreme conditions.



### Grove - Moisture Sensor


The [Grove - Moisture Sensor](#) can be used to detect the moisture of soil, to judge if there is dampness around the sensor. It can be used to decide if the plants in a garden needs watering. It can be used in gardens to automate watering plants. It can be used very easily by just inserting the sensor into the soil and reading the output using ADC.



## Grove - Light Sensor

The [Grove - Light sensor](#) module uses GL5528 photoresistor(light dependent resistor) to detect the intensity of light in the environment. The resistance of photoresistor decreases when the intensity of light increases. A dual OpAmp chip LM358 on board produces voltage corresponding to intensity of light(i.e based on resistance value). The output signal from this module will be HIGH in bright light and LOW in the dark.

This module can be used to build a light controlled switch i.e switch off lights during day time and switch on lights during night time.



## Grove - UV Sensor

The Grove – UV Sensor is used for detecting the intensity of incident ultraviolet(UV) radiation. This form of electromagnetic radiation has shorter wavelengths than visible radiation. It is based on the sensor GUVA-S12D.It has a wide spectral range of 200nm-400nm. The module will output electrical signal which is varied with the change of the UV intensity. UV sensors are used for determining exposure to

ultraviolet radiation in laboratory or environmental settings.



## Grove - PIR Motion Sensor

This is a simple to use PIR motion sensor with Grove compatible interface. Simply connect it to Stem shield and program it, when anyone moves in its detecting range, the sensor outputs HIGH on its SIG pin.

The detecting range and response speed can be adjusted by 2 potentiometers soldered on its circuit board, The response speed is from 0.3s - 25s, and max 6 meters of detecting range.



## AWS Device Shadow

A thing shadow (sometimes referred to as a device shadow) is a JSON document that is used to store and retrieve current state information for a thing (device, app, and so on). The Thing Shadows service maintains a thing shadow for each thing you connect to AWS IoT. You can use thing shadows to get and set the state of a thing over MQTT or HTTP, regardless of whether the thing is connected to the Internet

## Device Shadows Data Flow

The Thing Shadows services acts as an intermediary, allowing devices and applications to retrieve and update thing shadows.

The Thing Shadows service uses a number of MQTT topics to facilitate communication between applications and devices. To see how this works, use the AWS IoT MQTT client to subscribe to the following MQTT topics with QoS 1:

`$aws/things/myLightBulb/shadow/update/accepted`

The Thing Shadows service sends messages to this topic when an update is successfully made to a thing shadow.

`$aws/things/myLightBulb/shadow/update/rejected`

The Thing Shadows service sends messages to this topic when an update to a thing shadow is rejected.

`$aws/things/myLightBulb/shadow/update/delta`

The Thing Shadows service sends messages to this topic when a difference is detected between the reported and desired sections of a thing shadow.


`$aws/things/myLightBulb/shadow/get/accepted`

The Thing Shadows service sends messages to this topic when a request for a thing shadow is made successfully.


`$aws/things/myLightBulb/shadow/get/rejected`

The Thing Shadows service sends messages to this topic when a request for a thing shadow is rejected.

## AWS IoT Device Shadows



## AWS IoT Device Shadows flow



## AWS IoT Device Gateway

The AWS IoT Device Gateway enables devices to securely and efficiently communicate with AWS IoT. The Device Gateway can exchange messages using a publication/subscription model, which enables one-to-one and one-to-many communications. With this one-to-many communication pattern AWS IoT makes it possible for a connected device to broadcast data to multiple subscribers for a given topic. The Device Gateway supports MQTT, WebSockets, and HTTP 1.1 protocols and you can easily implement support for proprietary or legacy protocols. The Device Gateway scales automatically to support over a billion devices without provisioning infrastructure.



# Amazon DynamoDB

Amazon DynamoDB is a fast and flexible [NoSQL database](#) service for all applications that need consistent, single-digit millisecond latency at any scale. It is a fully managed cloud database and supports both document and key-value store models. Its flexible data model and reliable performance make it a great fit for mobile, web, gaming, ad tech, IoT, and many other applications. Start today by downloading the [local version of DynamoDB](#), then read our [Getting Started Guide](#).

## Reference Material

### Interactive tutorial

AWS IoT is a managed cloud service that lets connected devices -- cars, light bulbs, sensor grids and more -- easily and securely interact with cloud applications and other devices.


This interactive tutorial will help you to get started quickly by demonstrating the following service features:

- Connect things to the Device Gateway
- Process and act on data with the Rules Engine
- Read and set device state with Device Shadows

AWS IoT
Resources | MQTT Client | Tutorial | Settings | 0 notifications

### Learn how AWS IoT works with this interactive tutorial

1. Device Gateway
2. Rules Engine
3. Rule actions
4. Device Shadows
5. Build solutions



#### Read and set device state with Shadows

AWS IoT includes Device Registry and Device Shadows, so you can register any thing you wish to represent in the cloud with a name, some attributes, and a persistent virtual 'shadow'.

The example at the left shows that a thing has been created to represent the physical light bulb, with a virtual counterpart in the cloud.

Try turning off the physical light bulb. You'll notice that the Device Shadow remembers the color of the physical light bulb.

Next, try sending new "R" "G" and "B" commands from the control unit, with the physical light bulb still turned off.

The shadow will persist the desired future state of the bulb. When you turn the physical bulb back on, AWS IoT will command the physical bulb to match

## IoT news and features


The Internet of Things is an evolving term used to describe objects and their virtual representations communicating via an internet-like network. The concept has been discussed since 1991, when the initial idea was based on control networks that would allow for the remote control and monitoring devices, inventory and factory functions. Today, the term Internet of Things relates to the advanced connectivity of devices, systems and services, going beyond merely machine-to-machine (M2M) communication. It is estimated that by 2020 there will be over 25 billion devices wirelessly connected to the Internet of Things, including embedded and wearable computing devices. We track this emerging phenomenon.

## Application Scope?

IoT has been used in wide application depending upon the cloud network mode, level and coverage WAN area transmission. In days every company has provision to move on the AWS IOT.

CEO Jeff Immelt said that a global network connecting people, data and machines called the Industrial Internet had the potential to add \$10 to \$15 trillion to global GDP in the next 20 years. GE plans to invest \$1 billion in the "development of industrial internet technology and applications to make customers more productive." IoT concept is working fully automated monitoring and reporting, Utility, Plants and Animals filed in the internet, IOT applications ranking area **Smart home, Smart City, Smart grids, Industrial Internet, and Connected Health (Digital health/Telehealth/Telemedicine)**

### Area Of Application



Pragmatic Techsoft Pvt. Ltd.



# Our Services

## Technologies



## Services



ERP & CRM



Cloud Computing



ETL & Data Warehouse



Business Intelligence



Web Development



Mobile Development

# Contact Us

### INDIA

Office No 15, Sun shree Woods  
Commercial Premises,  
NIBM Road, Pune 411048,  
Maharashtra, India.

**Phone:** +91 (20) 41201035

**Sales:** +91 (20) 41322895

**Email:** sales@pragtech.co.in

**Skype:** pragtech

**Gtalk:** sales@pragtech.co.in

### AMERICA

7738 Kildare Avenue,  
Skokie IL 60076  
Phone: +1 619 488 2759  
Sales: +1 619 488 2759

### EUROPE

Phone: +44 20 8123 2759  
Sales: +44 20 8123 2759

